# tecnal:a certification

# CERTIFICATE OF CONSTANCY OF PERFORMANCE 1239/CPR/0822101

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products, it's certified that the

Construction product:

Scope of Certification: (references)

LAMISSOL PRESERVE

References included in the scope of the certification are listed in the annex of this certificate

Glass in building. Laminated glass and laminated safety glass

Provided and produced by:

#### ASTIGLASS, S.L. P.I. La Campiña Fase IV C/Dehesa de las Yeguas, 1 41400 - ECIJA (Sevilla)

Is subject to a factory production control and to the inspection of samples in accordance to a prescribed test plan by the manufacturer, and that the Notified Body TECNALIA R&I CERTIFICACION S.L. has carried out initial type tests for all relevant characteristics of the product, as well as the initial inspection of the factory and FPC, and the continuous surveillance, assessment and approval of FPC

This certificate shows compliance with all regulations applicable to the conformity assessment in the Annex ZA of the standard

## EN 14449:2005+/AC:2005

and that the product meets the minimum requirements applicable.

System of assessment and verification of constancy of performance : SYSTEM 1

Carlos Nazabal Alsua Manager



**Issued on:** 

Expires on:

Last modified on:

Serial no: 082210106-E

This document allows the manufacturer to fix the CE mark.

This certificate may be modified, temporarily suspended and withdrawn by TECNALIA R&I CERTIFICACION. The validity of this certificate can be through consultation in www.tecnaliacertification.com.

05/04/2017

19/06/2023 13/08/2026

# **tecnal:a** certification

## ANNEX CERTIFICATE OF CONSTANCY OF PERFORMANCE 1239/CPR/0822101

### **Construction product:**

Bullet resistant laminated safety glass

	References	Description
	22.4 BR1	Bullet resistance class: BR1/NS Basic soda lime silicate float glass with PVB layers Nominal thickness: 24,5 mm
	18.10 BR2	Bullet resistance class: BR2/S Basic soda lime silicate float glass with PVB layers Nominal thickness: 21,8 mm
	36.12 BR4	Bullet resistance class: BR4/S Basic soda lime silicate float glass with PVB layers Nominal thickness: 40,6 mm
	46.16 BR6	Bullet resistance class: BR6/S Basic soda lime silicate float glass with PVB layers Nominal thickness: 52,1 mm



TECNALIA R&I CERTIFICACION S.L. Area Anardi, nº 5 - 20730 AZPEITIA (Gipuzkoa) SPAIN Tel.:+34 678 860 822 – www.tecnaliacertificacion.com